



SPECIFICATIONS

Product Description: **HOOD, SUPPLIED AIR**
 Part Number: **9911-20**
 Style: **SINGLE BIB, FULLY DISPOSIBLE TYVEK®**

GENERAL DESCRIPTION:

Our NIOSH-approved Fully Disposable Tyvek Hood is so unique, it is patented. It's designed and constructed in one-piece, with the down tube and head suspension completely integrated. This makes it maintenance free eliminating the need for decontamination of the breathing tube or replacement parts. The entire assembly is disposed of after use



HOOD:

- Poly-coated DuPont Tyvek
- Splash resistant hood and bib
- Seams surged to seal in the air flow
- Generous size is ideal for workers with beards or goggles

SUSPENSION:

- Disposable one-piece assembly
- Absorbent foam headband.
- Adjustable hook and loop closure head harness secures hood in place

DOWNTUBE:

- Multi-layer foam sound dampening system to prevent crushing or twisting during use
- Meets stringent NIOSH requirements for sound levels inside a hood
- Located behind the hood allowing it to be out of the way

LENS:

- Clear co-polyester (PETG), 15 Mil, 6"X12" (15.2cm X 30.4cm)
- Distortion-free with panoramic view

LENS PEEL OFFS: (P/N: 9910-25) *(optional)*

- Polyester, clear film with adhesive backing, 5¼" X 11¼"(13.3cm X 28.57cm) (0.007" (.017cm) thick)

Hose			Hood Used with	
Part No	Length	Fitting	Controllers	Approval No
Low Pressure			Low Pressure	
9100-25	25' (7.62m)	OBAC-Brass	Low Pressure Flow Adapter 9910-11	TC-19C-331
9100-50	50' (15.24m)	OBAC-Brass		
9100-100	100' (30.4m)	OBAC-Brass		
High Pressure			High Pressure	
9101-25B	25' (7.62m)	Hansen-Brass	9992 Control Valve	TC-19C-357
9101-50B	50' (15.24m)	Hansen-Brass	9991 Cooler	TC-19C-357
9101-100B	100' (30.4m)	Hansen-Brass	9990 Temperature Controller	TC-19C-357